

	Nr.	Fabricat		EP									
				CPD15J	CPD15J - C1	CPD15J - D1	CPD18J	CPD18J - C1	CPD18J - D1	CPD20J	CPD20J - C1	CPD20J -D1	
Specificatii	1	Model		CPD15J	CPD15J - C1	CPD15J - D1	CPD18J	CPD18J - C1	CPD18J - D1	CPD20J	CPD20J - C1	CPD20J -D1	
	2	Capacitate ridicare	kg	1500			1750			2000			
	3	Sarcina principala	mm	500			500			500			
	4	Inaltime maxima de ridicare	mm	3000			3000			3000			
	5	Inaltime libera de ridicare	mm	135			135			140			
	6	Marime furci	g *l*L	mm	35x120x900			35x120x900			40x130x1070		
	7	Unghi inclinare	F/S	gr	5/10			5/10			5/10		
Dimensiuni	8	Dimensiuni generale	Lung. fara furci	mm	2080			2115			2275		
	9		Latime	mm	1060			1138			1265		
	10		H catarg strans	mm	1995			1995			2070		
	11		H catarg ridicat	mm	3935			3935			4040		
	12		H acoperis	mm	2075			2075			2090		
	13		Inaltime scaun	mm	1030			1030			1070		
	14	Raza de intoarcere exterioara min.	mm	1780			1815			2040			
	15	Distanta incarcare / Fata	mm	406			406			455			
	16	Ecartament	Fata	mm	888			888			1058		
	17	Ecartament	Spate	mm	879,5			879,5			960		
	18	Garda la sol	Min.	mm	110			110			120		
	19	Ampatament	mm	1380			1380			1485			
	20	Extindere furci	Min./Max.	mm	240/1000			240/1000			200/1038		
	21	Spatiu de lucru cu palet	1000x1200	mm	3556			3591			3720		
	22		800x1200	mm	3655			3690			3820		

Performante	23	Viteza	Deplasare liber	km/h	12	14	14	12,5	13,5	13,5	12	14	14
	24		Deplasare sarc.	Km/h	13	14	14	13	14	14	13	14	14
	25		Ridicare sarc.	mm/s	290	300	300	285	295	295	280	290	290
	26		Ridicare liber	mm/s	440	450	450	430	440	440	440	450	450
	27		Coborare sarc.	mm/s	460			470			470		
	28		Coborare liber	mm/s	430			430			440		
	29	Panta	Cu sarcina	%	13	15	15	13	15	15	12	13	13
	30		Fara sarcina	%	14	16	16	14	16	16	13	14	14
	31	Greutate inclusiv cutie baterie		kg	2940			3090			3700		
	32	Sarcina ax fata/spate	Cu sarcina	kg	3900/540			4300/590			5016/684		
	33		Fara sarcina	kg	1353/1587			1650/1440			1628/2070		
	34	Pneuri	Fata x 2		6.00-9			21x8-9			23x9-10		
	35		Spate x 2		5.00-8			5.00-8			18x9-10		
Conducere	36	Motor	Motor x 2	kw	5.4	8	8	5.4	8	8	7	10,5	10,5
	37		Pompa motor	kw	8.2	7.8	7.8	8.2	7.8	7.8	8,6	11	11
	38	Baterie	Standard	V/AH	48/420			48/420			48/630		
	39	Greutate baterie + cutie (STD)			760			760			998		
	40	Unitate de control	Tip		MOSFET			MOSFET			MOSFET		
	41		Fabricat		CURTIS	CURTIS	Danaher	CURTIS	CURTIS	Danaher	CURTIS	CURTIS	Danaher
	42	Nivel zgomot		dB	70			70			71		

DIMENSIUNI

